

EDITING

Basic code completion	<code>⌘</code>
Smart code completion	<code>⇧ ^Space</code>
Complete statement	<code>⇧ ⌘↵</code>
Parameter info	<code>⇧ ⌘P</code>
Quick Documentation	<code>⇧ ^⌘/</code>
External Documentation	<code>^⌘\ /</code>
Brief Info	<code>⌘Mousehover</code>
Show description of error/warning at caret	<code>⌘F1</code>
Generate Code	<code>⌘N</code>
Override / Implement methods	<code>^⌘O / ^⌘I</code>
Surround with...	<code>⌘T</code>
Move statements up / down	<code>^⌘[/ ^⌘]</code>
Comment with line comment	<code>⌘/</code>
Comment with block comment	<code>⌘\ /</code>
Expand / shrink selection	<code>⌘⇧↑ / ⌘⇧↓</code>
Context info	<code>⇧ ^Q</code>
Show intention actions and quick-fixes	<code>⌘↵</code>
Reformat code	<code>⌘⇧L</code>
Optimize imports	<code>^⇧O</code>
Indent / unindent selected lines	<code>⌘] / ⌘[</code>
Cut current line to clipboard	<code>⌘X</code>
Copy current line to clipboard	<code>⌘C</code>
Paste from clipboard	<code>⌘V</code>
Paste from recent buffers	<code>⇧ ⌘V</code>
Duplicate current line or selected block	<code>⌘D</code>
Delete line at caret	<code>⌘⇧⌘</code>
Smart line join	<code>⇧ ^J</code>
Smart line split / Start new line	<code>^O / ⇧ ↵</code>
Toggle case	<code>⇧ ⌘U</code>
Select till code block end / start	<code>⇧ ^] / ⇧ ^[</code>
Delete to word start / end	<code>⌘⌘ / ⌘⇧⌘</code>
Expand / collapse code block	<code>⌘+ / ⌘-</code>
Expand / collapse code block recursively	<code>⌘⇧+ / ⌘⇧-</code>
Expand / collapse all	<code>⇧ ⌘+ / ⇧ ⌘-</code>
Close active editor tab	<code>⌘W</code>
Place the caret in multiple locations	<code>⌘⇧ Click</code>
Toggle column selection mode	<code>⇧ ⌘8</code>
Select next / unselect previous occurrence	<code>^G / ⇧ ^G</code>
Select all occurrences	<code>^⌘G</code>

SEARCH AND REPLACE

Find / Replace	<code>⌘F / ⌘⇧F</code>
Find next / previous	<code>⌘G / ⇧ ⌘G</code>
Find / Replace in path	<code>⇧ ⌘F / ⇧ ⌘⇧F</code>

USAGE SEARCH

Find usages / Find usages in file	<code>⇧F7 / ⌘F7</code>
Highlight usages in file	<code>⌘E</code>
Show usages	<code>⌘⇧F7</code>

NAVIGATION

Go to class / file / symbol	<code>⌘⇧O / ⌘O / ⇧ ⌘O</code>
Go to next / previous editor tab	<code>⇧ ⌘] / ⇧ ⌘[</code>
Go back to previous tool window	<code>F12</code>
Go to editor (from tool window)	<code>⌘</code>
Hide active or last active window	<code>⇧ ⌘</code>
Close active tool windows tab	<code>⇧ ^F4</code>
Go to line	<code>⌘L</code>
Recent files popup	<code>^2</code>
Navigate back / forward	<code>^⌘← / ^⌘→</code>
Navigate to last edit location	<code>⇧ ⌘⌘</code>
Select current file or symbol in any view	<code>⇧ ⌘J</code>
Go to related header or source file	<code>^⌘↑</code>
Go to definition	<code>⌘Click</code>
Go to implementation(s)	<code>⌘⇧Click</code>
Open quick definition lookup	<code>^F1</code>
Go to type declaration	<code>⇧ ⇧B</code>
Go to super-method / super-class	<code>^U</code>
Go to previous / next method	<code>⇧↑ / ⇧↓</code>
Move to code block end / start	<code>^[/ ^]</code>
File structure popup	<code>^6</code>
Type / call / method hierarchy	<code>^H / ^⇧H / ⇧ ⌘H</code>
Next / previous highlighted error	<code>⌘' / ⇧ ⌘'</code>
Jump to source	<code>⌘↓</code>
Toggle bookmark / with mnemonic	<code>^F3 / ⇧F3</code>
Go to numbered bookmark	<code>^O...^9</code>
Show bookmarks	<code>⌘F3</code>

VERSION CONTROL

Commit project	<code>⌘⇧C</code>
Update project from VCS	<code>⌘⇧X</code>
View recent changes	<code>⇧ ⇧C</code>
VCS actions	<code>^S</code>

REFACTORING

Refactor This	<code>^⌘T</code>
Copy / Move	<code>F5 / ⇧F6</code>
Safe Delete	<code>⌘⌘</code>
Rename / Change Signature	<code>^⌘E / ⌘F6</code>
Inline	<code>⌘⇧N</code>
Extract Method	<code>^⌘M</code>
Extract Variable / Constant	<code>^⌘V / ^⌘C</code>
Extract Parameter	<code>^⌘P</code>
Extract Property	<code>⌘⇧E</code>
Extract Instance Variable	<code>^⌘F</code>

COMPILE AND RUN

Build Project	<code>⌘B</code>
Run / Debug	<code>⇧ ⌘⇧R / ⌘R</code>
Select configuration and run / debug	<code>⇧ ^⌘⇧R / ⌘⇧R</code>
Run / Debug context configuration	<code>⌘⇧U / ⌘U</code>
Run Anything	<code>Double^</code>

DEBUGGING

Step into / over / out	<code>F7 / F6 / F8</code>
Run to cursor	<code>^⌘C</code>
Evaluate expression	<code>⇧F8</code>
Resume program	<code>^⌘Y</code>
Toggle breakpoint	<code>⌘\</code>
View breakpoints	<code>⌘8</code>

LIVE TEMPLATES

Surround with Live Template	<code>⌘⇧J</code>
Insert Live Template	<code>⌘J</code>

GENERAL

Search Everywhere	<code>Double⇧</code>
Find any IDE action	<code>⇧ ⌘A</code>
Open corresponding tool window	<code>⌘O...⌘9</code>
Hide all tool windows	<code>⇧ ⌘F12</code>
Add to Favorites	<code>⇧ ⇧F</code>
Inspect current file with current profile	<code>⇧ ⇧I</code>
Quick switch current scheme	<code>^`</code>
Switch between tabs and tool windows	<code>^⇧I</code>